AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in this application.

Listing of Claims:

1. (previously presented) A method of inhibiting tumor growth in a mammal, said method comprising administering a therapeutically effective amount of a composition comprising at least one pharmaceutically acceptable carrier and a taxane having the formula

$$X_5NH$$
 O R_{10} R_{7} R_{10} R_{7} R_{10} $R_$

wherein

X₃ is isopropyl, isobutenyl, cyclopropyl, cyclobutyl, cyclopentyl, 2-thienyl, 3-thienyl, 2-furyl, 3-furyl, 2-pyridyl, or 4-pyridyl;

 X_5 is -COX₁₀ and X_{10} is 2-furyl, 2-thienyl, 3-pyridyl, 4-pyridyl, n-propyl, or butenyl;

R₂ is benzoyloxy;

R₇ is hydroxy;

 R_{10} is $R_{10a}OCOO$ -; and

R_{10a} is methyl or ethyl.

- 2. (original) The method of claim 1 wherein X_3 is 2-thienyl or 3-thienyl.
- 3. (original) The method of claim 1 wherein X_3 is 2-furyl or 3-furyl.

4. (previously presented) A method of inhibiting tumor growth in a mammal, said method comprising administering a therapeutically effective amount of a composition comprising at least one pharmaceutically acceptable carrier and a taxane having the formula

wherein

X₃ is 2-furyl or 2-thienyl;

 X_5 is -COX₁₀ and X_{10} is trans-propenyl or isopropyl;

R₂ is benzoyloxy;

R₇ is hydroxy;

R₁₀ is R_{10a}OCOO-; and

R_{10a} is ethyl.

- 5. (previously presented) The method of claim 4 wherein X_3 is 2-furyl.
- 6. (previously presented) The method of claim 4 wherein X_3 is 2-thienyl.

Claims 7-9 (cancelled)

- 10. (original) The method of claim 4 wherein X_5 is -COX $_{10}$ and X_{10} is transpropenyl.
- 11. (original) A method for preparing a pharmaceutical composition comprising mixing at least one nonaqueous, pharmaceutically acceptable solvent and a taxane having the formula

wherein

R₂ is acyloxy;

R₇ is hydroxy;

R₉ is keto, hydroxy, or acyloxy;

R₁₀ is carbonate;

R₁₄ is hydrido or hydroxy;

X₃ is heterocyclo;

 X_5 is -COX₁₀, -COOX₁₀, or -CONHX₁₀;

 X_{10} is hydrocarbyl, substituted hydrocarbyl, or heterocyclo; and

Ac is acetyl.

- 12. (original) The method of claim 11 wherein X_3 is 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, 2-pyridyl, 3-pyridyl or 4-pyridyl.
- 13. (original) The method of claim 11 wherein R_{10} is $R_{10a}OCOO$ and R_{10a} is methyl or ethyl.
- 14. (original) The method of claim 11 wherein X_5 is -COX₁₀ and X_{10} is substituted or unsubstituted phenyl, 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, 2-pyridyl, 3-pyridyl, 4-pyridyl, C_1 C_8 alkyl, C_2 C_8 alkenyl, or C_2 C_8 alkynyl, or X_5 is -COOX₁₀ and X_{10} is substituted or unsubstituted C_1 C_8 alkyl, C_2 C_8 alkenyl, or C_2 C_8 alkynyl.
- 15. (original) The method of claim 11 wherein X_3 is 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, 2-pyridyl, 3-pyridyl or 4-pyridyl, R_{10} is R_{10a} OCOO- and R_{10a} is methyl or ethyl.

- 16. (original) The method of claim 11 wherein X_3 is 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, 2-pyridyl, 3-pyridyl or 4-pyridyl, X_5 is $-COX_{10}$ and X_{10} is substituted or unsubstituted phenyl, 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, 2-pyridyl, 3-pyridyl, 4-pyridyl, $C_1 C_8$ alkyl, $C_2 C_8$ alkenyl, or $C_2 C_8$ alkynyl, or $C_3 C_8$ alkynyl, or $C_3 C_8$ alkynyl.
- 17. (original) The method of claim 11 wherein R_{10} is R_{10a} OCOO- and R_{10a} is methyl or ethyl, X_5 is $-COX_{10}$ and X_{10} is substituted or unsubstituted phenyl, 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, 2-pyridyl, 3-pyridyl, 4-pyridyl, C_1 C_8 alkyl, C_2 C_8 alkenyl, or C_2 C_8 alkynyl, or C_3 C_8 alkynyl, or C_2 C_8 alkynyl.
- 18. (original) The method of claim 11 wherein X_3 is 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, 2-pyridyl, 3-pyridyl or 4-pyridyl, R_{10} is $R_{10a}OCOO$ -, R_{10a} is methyl or ethyl, X_5 is -COX₁₀ and X_{10} is substituted or unsubstituted phenyl, 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, 2-pyridyl, 3-pyridyl, 4-pyridyl, C_1 C_8 alkyl, C_2 C_8 alkenyl, or C_2 C_8 alkynyl, or C_2 C_8 alkynyl.
 - 19. (original) The method of claim 11 wherein X_3 is 2-furyl or 3-furyl.
 - 20. (original) The method of claim 11 wherein X_3 is 2-thienyl or 3-thienyl.
- 21. (original) The method of claim 13 wherein X_3 is 2-furyl, 3-furyl, 2-thienyl or 3-thienyl.
- 22. (original) The method of claim 14 wherein X_3 is 2-furyl, 3-furyl, 2-thienyl or 3-thienyl.
- 23. (original) The method of claim 18 wherein X_3 is 2-furyl, 3-furyl, 2-thienyl or 3-thienyl.

24. (previously presented) A taxane having the formula

wherein

 X_3 is isopropyl, isobutenyl, cyclopropyl, cyclobutyl, cyclopentyl, 2-thienyl, 3-thienyl, 2-furyl, 3-furyl, 2-pyridyl, or 4-pyridyl;

 X_5 is -COX₁₀ and X_{10} is 2-furyl, 2-thienyl, 3-pyridyl, 4-pyridyl, n-propyl, or butenyl;

R₂ is benzoyloxy;

R₇ is hydroxy;

R₁₀ is R_{10a}OCOO-; and

R_{10a} is methyl or ethyl.

- 25. (original) The taxane of claim 24 wherein X_3 is 2-thienyl or 3-thienyl.
- 26. (original) The taxane of claim 24 wherein X_3 is 2-furyl or 3-furyl.

27. (previously presented) A taxane having the formula

wherein

X₃ is 2-furyl or 2-thienyl;

 X_5 is -COX₁₀ and X_{10} is trans-propenyl or isopropyl;

R₂ is benzoyloxy;

R₇ is hydroxy;

 R_{10} is $R_{10a}OCOO$ -; and

 R_{10a} is ethyl.

- 28. (previously presented) The taxane of claim 27 wherein X_3 is 2-furyl.
- 29. (previously presented) The taxane of claim 27 wherein X_3 is 2-thienyl.

Claim 30 (cancelled)

31. (original) The taxane of claim 27 wherein X_5 is -COX $_{10}$ and X_{10} is transpropenyl.

Claims 32-39. (cancelled)